
BARTYMEDICAL

CE 2696

HEETY™

Catheter Sheath Sets

Type A



BARTYMEDICAL

HEETY™

Catheter Sheath Sets Type A

No Plasticizer

Being safer for sidearm using TPU, does not contain DEHP plasticizer.



Haemostatic Valve

Unique design of haemostatic valve prevents blood flowing out and provides convenient operation for guidewire and catheter.

Excellent Lubricity And Radiopacity

Radiopaque PTFE sheath provides excellent deliverability

Appropriate Wedge-shaped Transition

Wedge-shaped transition between dilator and sheath provides smooth and spontaneous insertion for catheter sheath, lowering damage to blood vessel.

Excellent Radiopacity

Dilator uses PP+$BaSO_4$, bearing excellent radiopacity.

Application

This product is intended to percutaneously insert into blood vessel during interventional operation, providing channel for angiographic catheter, guide catheter, balloon dilatation catheter and other similar devices into artery and vein.

Product Specifications

Specifications	Hydrophilic sheath size (Fr)	Effective length of sheath (mm)	Effective length of dilator (mm)	Outer diameter of guidewire (inch)	Length of super smooth guidewire (cm)	Sizes of introducer catheter (G)	Length of introducer catheter (mm)	Syringe (mL)
QA040070A18SHT1	4	70	125	0.018	45	22	25	2.5
QA040070A21SHT1				0.021		22	25	
QA040070A25SHT1				0.025		20	32	
QA040070A35SHT1				0.035		18	64	
QA040100A18SHT1		100	155	0.018		22	25	
QA040100A21SHT1				0.021		22	25	
QA040100A25SHT1				0.025		20	32	
QA040100A35SHT1				0.035		18	64	
QA040160A18SHT1		160	215	0.018		22	25	
QA040160A21SHT1				0.021		22	25	
QA040160A25SHT1				0.025		20	32	
QA040160A35SHT1				0.035		18	64	
QA040250A18SHT1		250	305	0.018	80	22	25	
QA040250A21SHT1				0.021		22	25	
QA040250A25SHT1				0.025		20	32	
QA040250A35SHT1				0.035		18	64	
QA050070A18SHT1	5	70	125	0.018	45	22	25	2.5
QA050070A21SHT1				0.021		22	25	
QA050070A25SHT1				0.025		20	32	
QA050070A35SHT1				0.035		18	64	
QA050100A18SHT1		100	155	0.018		22	25	
QA050100A21SHT1				0.021		22	25	
QA050100A25SHT1				0.025		20	32	
QA050100A35SHT1				0.035		18	64	
QA050160A18SHT1		160	2215	0.018		22	25	
QA050160A21SHT1				0.021		22	25	
QA050160A25SHT1				0.025		20	32	
QA050160A35SHT1				0.035		18	64	
QA050250A18SHT1		250	305	0.018	80	22	25	
QA050250A21SHT1				0.021		22	25	
QA050250A25SHT1				0.025		20	32	
QA050250A35SHT1				0.035		18	64	
QA060070A21SHT1	6	70	125	0.021	45	22	25	2.5
QA060070A25SHT1				0.025		20	32	
QA060070A35SHT1				0.035		18	64	
QA060100A21SHT1		100	155	0.021		22	25	
QA060100A25SHT1				0.025		20	32	
QA060100A35SHT1				0.035		18	64	
QA060160A21SHT1		160	215	0.021		22	25	
QA060160A25SHT1				0.025		20	32	
QA060160A35SHT1				0.035		18	64	
QA060250A21SHT1		250	305	0.021	80	22	25	
QA060250A25SHT1				0.025		20	32	
QA060250A35SHT1				0.035		18	64	

Product Specifications

Specifications	Hydrophilic sheath size (Fr)	Effective length of sheath (mm)	Effective length of dilator (mm)	Outer diameter of guidewire (inch)	Length of super smooth guidewire (cm)	Sizes of introducer catheter (G)	Length of introducer catheter (mm)	Syringe (mL)
QA070070A21SHT1	7	70	125	0.021	45	22	25	2.5
QA070070A25SHT1				0.025		20	32	
QA070070A35SHT1				0.035		18	64	
QA070070A38SHT1				0.038		18	64	
QA070100A21SHT1		100	155	0.021		22	25	
QA070100A25SHT1				0.025		20	32	
QA070100A35SHT1				0.035		18	64	
QA070100A38SHT1				0.038		18	64	
QA070160A21SHT1		160	215	0.021		22	25	
QA070160A25SHT1				0.025		20	32	
QA070160A35SHT1				0.035		18	64	
QA070160A38SHT1				0.038		18	64	
QA070250A21SHT1		250	305	0.021	80	22	25	
QA070250A25SHT1				0.025		20	32	
QA070250A35SHT1				0.035		18	64	
QA070250A38SHT1				0.038		18	64	
QA080070A35SHT1	8	70	125	0.035	45	18	64	2.5
QA080100A35SHT1		100	155	0.035				
QA080100A38SHT1				0.038				
QA080160A35SHT1		160	215	0.035				
QA080160A38SHT1				0.038				
QA080250A35SHT1		250	305	0.035	80			
QA080250A38SHT1				0.038				
QA090070A35SHT1	9	70	125	0.035	45	18	64	2.5
QA090100A35SHT1		100	155	0.035				
QA090100A38SHT1				0.038				
QA090160A35SHT1		160	215	0.035				
QA090160A38SHT1				0.038				
QA090250A35SHT1		250	305	0.035	80			
QA090250A38SHT1				0.038				
QA100070A35SHT1	10	70	125	0.035	45	18	64	2.5
QA100100A35SHT1		100	155	0.035				
QA100100A38SHT1				0.038				
QA100160A35SHT1		160	215	0.035				
QA100160A38SHT1				0.038				
QA100250A35SHT1		250	305	0.035	80			
QA100250A38SHT1				0.038				
QA110070A35SHT1	11	70	125	0.035	45	18	64	2.5
QA110100A35SHT1		100	155	0.035				
QA110100A38SHT1				0.038				
QA110160A35SHT1		160	215	0.035				
QA110160A38SHT1				0.038				
QA110250A35SHT1		250	305	0.035	80			
QA110250A38SHT1				0.038				

Combination 1 consists of catheter sheath (with hydrophilic coating),dilator, introducer needle, introducer catheter, super smooth guidewire, sterile syringes for single use and surgical blade.

Product Specifications

Specifications	Hydrophilic sheath size (Fr)	Effective length of sheath (mm)	Effective length of dilator (mm)	Outer diameter of nickel-titanium guidewire (inch)	Length of nickel-titanium guidewire (cm)	The size of the steel needle (G)	The length of the steel needle (mm)
QA040070A18NHP0	4	70	125	0.018	45	20	38
QA040070A21NHP0				0.021		20	38
QA040070A25NHP0				0.025		20	38
QA040100A18NHP0		100	155	0.018		20	38
QA040100A21NHP0				0.021		20	38
QA040100A25NHP0				0.025		20	38
QA040160A18NHP0		160	215	0.018		20	38
QA040160A21NHP0				0.021		20	38
QA040160A25NHP0				0.025		20	38
QA040250A18NHP0		250	305	0.018	80	20	38
QA040250A21NHP0				0.021		20	38
QA040250A25NHP0				0.025		20	38
QA050070A18NHP0	5	70	125	0.018	45	20	38
QA050070A21NHP0				0.021		20	38
QA050070A25NHP0				0.025		20	38
QA050100A18NHP0		100	155	0.018		20	38
QA050100A21NHP0				0.021		20	38
QA050100A25NHP0				0.025		20	38
QA050160A18NHP0		160	215	0.018		20	38
QA050160A21NHP0				0.021		20	38
QA050160A25NHP0				0.025		20	38
QA050250A18NHP0		250	305	0.018	80	20	38
QA050250A21NHP0				0.021		20	38
QA050250A25NHP0				0.025		20	38
QA060070A21NHP0	6	70	125	0.021	45	20	38
QA060070A25NHP0				0.025		20	38
QA060100A21NHP0		100	155	0.021		20	38
QA060100A25NHP0				0.025		20	38
QA060100A35NHP0				0.035		20	38
QA060160A21NHP0		160	215	0.021	80	20	38
QA060160A25NHP0				0.025		20	38
QA060250A21NHP0		250	305	0.021		20	38
QA060250A25NHP0				0.025		20	38
QA070070A21NHP0	7	70	125	0.021	45	20	38
QA070070A25NHP0				0.025		20	38
QA070100A21NHP0		100	155	0.021		20	38
QA070100A25NHP0				0.025		20	38
QA070160A21NHP0		160	215	0.021		20	38
QA070160A25NHP0				0.025		20	38
QA070250A21NHP0		250	305	0.021	80	20	38
QA070250A25NHP0				0.025		20	38

Combination 2 consists of catheter sheath (with hydrophilic coating), dilator, steel needle and nickel - titanium guidewire.

Product Specifications

Specifications	Sheath (not hydrophilic) Size (Fr)	Effective length of sheath (mm)	Effective length of the dilator (mm)	Outer diameter of guidewire (inch)	Length of nickel-titanium guidewire (cm)	The size of the steel needle (G)	The length of the steel needle (mm)
QA050070A35NOP0	5	70	125	0.035	45	18	65
QA050100A35NOP0		100	155	0.035		18	65
QA050160A35NOP0		160	215	0.035		18	65
QA050250A35NOP0		250	305	0.035	80	18	65
QA060070A35NOP0	6	70	125	0.035	45	18	65
QA060100A35NOP0		100	155	0.035		18	65
QA060160A35NOP0		160	215	0.035		18	65
QA060250A35NOP0		250	305	0.035	80	18	65
QA070070A35NOP0	7	70	125	0.035	45	18	65
QA070070A38NOP0				0.038		18	65
QA070100A35NOP0		100	155	0.035		18	65
QA070100A38NOP0				0.038		18	65
QA070160A35NOP0		160	215	0.035		18	65
QA070160A38NOP0				0.038		18	65
QA070250A35NOP0		250	305	0.035	80	18	65
QA070250A38NOP0				0.038		18	65
QA080100A35NOP0	8	100	155	0.035	45	18	65
QA080100A38NOP0				0.038			
QA080160A35NOP0		160	215	0.035			
QA080160A38NOP0				0.038			
QA080250A35NOP0		250	305	0.035	80		
QA080250A38NOP0				0.038			
QA090100A35NOP0	9	100	155	0.035	45	18	65
QA090100A38NOP0				0.038			
QA090160A35NOP0		160	215	0.035			
QA090160A38NOP0				0.038			
QA090250A35NOP0		250	305	0.035	80		
QA090250A38NOP0				0.038			
QA100100A35NOP0	10	100	155	0.035	45	18	65
QA100100A38NOP0				0.038			
QA100160A35NOP0		160	215	0.035			
QA100160A38NOP0				0.038			
QA100250A35NOP0		250	305	0.035	80		
QA100250A38NOP0				0.038			
QA110100A35NOP0	11	100	155	0.035	45	18	65
QA110100A38NOP0				0.038			
QA110160A35NOP0		160	215	0.035			
QA110160A38NOP0				0.038			
QA110250A35NOP0		250	305	0.035	80		
QA110250A38NOP0				0.038			

Combination 3 consists of catheter sheath(without hydrophilic coating), dilator , steel needle and nickel-titanium guidewire.

Product Specifications

Specifications	Sheath (not hydrophilic) Size (Fr)	Effective length of sheath (mm)	Effective length of the dilator (mm)	Outer diameter of guidewire (inch)	Length of nickel-titanium guidewire (cm)	The size of the steel needle (G)	The length of the steel needle (mm)	Syringe (mL)
QA040050A18NOP1	4	50	105	0.018"	45	20G	38	2.5
QA040050A21NOP1		50	105	0.021"				
QA040050A25NOP1		50	105	0.025"				
QA050050A18NOP1	5	50	105	0.018"	45	20G	38	
QA050050A21NOP1		50	105	0.021"				
QA050050A25NOP1		50	105	0.025"				
QA060050A18NOP1	6	50	105	0.018"	45	20G	38	
QA060050A21NOP1		50	105	0.021"				
QA060050A25NOP1		50	105	0.025"				
QA070050A21NOP1	7	50	105	0.021"	45	20G	38	
QA050050A35NOP1	5	50	105	0.035"	45	18G	65	
QA060050A35NOP1	6	50	105	0.035"	45	18G	65	
QA070050A35NOP1	7	50	105	0.035"	45	18G	65	
QA080050A35NOP1	8	50	105	0.035"	45	18G	65	
QA050050A38NOP1	5	50	105	0.038"	45	18G	65	
QA060050A38NOP1	6	50	105	0.038"	45	18G	65	
QA070050A38NOP1	7	50	105	0.038"	45	18G	65	
QA080050A38NOP1	8	50	105	0.038"	45	18G	65	
QA090050A38NOP1	9	50	105	0.038"	45	18G	65	

Combination 4 consists of catheter sheath (without hydrophilic coating), dilator ,
Steel needle, nickel - titanium guidewire, sterile hypodermic syringes and surgical blade.

Zhejiang Barty Medical Technology Co.,Ltd.

Add : Room 101, 201, 301, Building 26, Yinhai Technology Innovation Center, Xiasha Street, Qiantang District,310018 Hangzhou City, Zhejiang Province, China
Tel : +86 0571-88373719
Fax : +86 0571-88373716
Website: https://www.barty-medical.com/
Email：info@bartymedical.com